

# A Comparative Study of GARCH and EVT models in Modeling Value-at-Risk (VaR)

Longqing Li\*

---

## ABSTRACT

The paper addresses an inefficiency of a classical approach like a normal distribution and a Student-t distribution in modeling the tail risk, particularly the 1-day ahead forecast of Value-at-Risk (VaR) in internal risk control, by using two leading alternatives, Extreme Value Theory (EVT) and GARCH model. Specifically, I apply both models in major countries' stock market's daily loss, including U.S., U.K., China and Hong Kong between 2006 and 2015, and compare the relative forecasting performance. The paper differs from other studies in mainly two ways. First, it takes into account of an asymmetric shock in volatility in the financial time series by incorporating EGARCH and TGARCH. Second, it accounts for the non-normal, but more often, a fat-tailed and skewed return distribution by using a more flexible Generalized Error Distribution (GED). The backtesting result shows that, on one hand, the conditional EVT performs equally well relative to GARCH model under the Generalized Error Distribution. On the other hand, the Exponential GARCH based model is the best performing one in Value-at-Risk forecasting, meaning not only correctly identifying the future extreme loss, but more importantly, occurrence being independent.

Keywords: Value-at-Risk, Extreme Value Theory, Conditional EVT and Backtesting

JEL Classifications: C53, G32

---

---

\* Longqing Li: Department of Economics, Suffolk University, 8 Ashburton Place, Boston, MA 02108; E-mail: lli4@suffolk.edu

## 1. Introduction

Effective financial risk management is under the spotlight following the global financial crisis of 2008. One of the most popular tools in risk management is the Value-at-Risk (VaR), endorsed under the Basel Accord with the intent of internal control. It is defined as the upper quantile of a loss distribution under a given confidence level over a certain time horizon. In other words, it measures the extent of loss that financial firms could incur under a certain probability, and might arise if there is a severe economic recession, stock market crash or other event that triggers downside risk. For example, if the one month 5% Value-at-Risk is \$100 million, it means there is a 5% chance the investment firm could lose more than \$100 in any given month. Different goals set different confidence levels and time horizons. In internal risk control field, the standard practice is to use a confidence level of 95% over a one-day holding period.

One of the main challenges in computing Value-at-Risk is how to make an appropriate assumption on the distribution function of the return. The conventional approach is to assume a normal distribution. For instance, the RiskMetrics department of J.P. Morgan assumes the continuously compounded daily return follows a conditionally normal distribution. However it is widely acknowledged that the distribution of financial returns is not bell-shaped and symmetric. Danielsson (2000) identifies three attributes of financial returns: non-normality, volatility clustering, and asymmetry of the distributions. The volatility clustering means that large changes tend to cluster together. This phenomenon is partly due to the persistence of volatility shocks, that is, more volatility

would be expected if a market experiences a shock. The asymmetry suggests a skewed distribution of return, indicating the two tails are not equal, and that, one tail is thicker than the other. Therefore it is inappropriate to assume the Normal distribution of asset return in risk management, because it ignores the inherent attributes of financial returns.

As a result, a number of novel tools have been developed, like a non-parametric historical simulation (HS), a fully parametric approach such as GARCH (Generalized Autoregressive Conditional Heteroskedasticity), and Extreme Value Theory (EVT). The merit of historical simulation (HS) is that it makes no strict assumption about the distribution of assets, but it does assume a time-invariant distribution of returns. The standard GARCH model enables risk managers to take time-varying volatility into account in the financial market, though volatility responds in the same magnitude to both positive and negative shocks. And a number of studies show the superiority of EVT against classical models in modeling Value-at-Risk (Longin 2000; Bali 2007). In particular, the conditional EVT, a two-stage approach that integrates standard GARCH into EVT, is shown to be the best performing model in forecasting Value-at-Risk.

The increasing popularity of standard GARCH and EVT model has led us to think whether we could extend the existing models to better reflect the properties of financial market distributions, as well as to test the robustness of a conditional EVT model. The goal of the paper is to understand the comparative strengths and limits of both models in measuring Value-at-Risk under a less restrictive but more realistic environment. The paper is different from the existing literature in the following ways. First, it incorporates

the asymmetric volatility in financial time series, the so-called leverage effect, to address the fact that volatility increases more on bad news than on good news. In other words, the standard GARCH model assumes volatility responds in the same way to positive or negative shock. Second, it uses a less restrictive but more flexible Generalized Error Distribution (GED) (Theodossiou 2015) to accommodate the fat tails and skewness exhibited in the distribution of return.

Since the financial institution usually holds a number of different assets like bonds, stocks, options, and futures in a portfolio, and frequently updates the composition on a daily basis, it is complicated to measure the real portfolio. Here I only focus on the stock market return in major developed and developing countries, including S&P500-US, FTSE100-UK, NASDAQ Composite-US, Hang Seng-Hong Kong and CSI300-China. The time period spans from early 2006 to late 2015, which encompasses the outbreak of global financial crisis in 2008, and the recent economic slowdown in China (biggest stock market crash in eight years). To assess the performance of Value-at-Risk estimation, I perform a dynamic backtesting procedure.

The remainder of the paper is structured as follows. Section 2 discusses the existing literature. Section 3 presents an overview of the GARCH family and EVT models, and shows the basic calculation of Value-at-Risk with conditional EVT and GARCH models. Section 4 describes the stock indexes used in the paper. Section 5 displays stylized facts, fitted performance, and empirical results. Section 6 introduces the backtesting and presents the test result. Section 7 concludes the study.

## 2. Literature Review

The prevailing parametric approach is to use a GARCH-type model to capture time-varying volatility of the distribution. Typical models include GARCH-normal, GARCH-t and GARCH-skewed t. The GARCH-normal model meets with harsh criticism because of its tendency to under-predict future risk. This leads to an adoption of the GARCH-t model to accommodate fat-tailed distribution. Lin and Shen (2006) find that the Student-t distribution moderately improves market risk estimation. But the Student-t distribution is symmetric, unable to reflect the asymmetric property of distribution of returns. Giot and Laurent (2003) show that a model with a symmetric probability density function underperforms relative to one with a skewed density function.

The Extreme Value Theory (EVT) based approach has become wide popular in risk management over the past few years. It focuses on the tail behavior of the distribution, instead of all the observations. As a statistically sound theory, EVT has become a classical tool in financial risk management. By targeting the extreme value, measured as the loss above a certain threshold, EVT enables risk managers to formulate a robust framework to study extreme events. Embrechts (1999) provides an overview of the role of EVT in risk management and how it could be specifically embedded in estimating Value-at-Risk. Gilli and Këllezli (2006) apply EVT to the stock market indices to derive Value-at-Risk and corresponding confidence levels. Bali (2007) finds the EVT yields

better performance with respect to skewed t and normal distributions using daily index of the Dow Jones Industrial Average (DJIA).

Although EVT is generally superior to Historical Simulation (HS), GARCH-normal, GARCH-t and GARCH-skewed t models, it has two main inherent disadvantages. First, in the short term, the risk manager is sometimes more interested in the loss over the next couple of days, in which case the EVT is unable to reflect time varying volatility. Second, it depends on the assumption of the distributions that are independent and identically distributed (iid), a strong hypothesis in financial time series.

Therefore it is reasonable to use the conditional EVT, also called GARCH-EVT. McNeil and Frey (2000) develop a two-stage procedure to estimate this, and show it is better suited for measuring the market risk. In the first stage, the distribution is estimated with a GARCH model to obtain identically and independent distributed (iid) residuals. In the second stage, standardized residuals are fitted using the EVT framework. In doing so, the conditional EVT could integrate time-varying volatility and tail risk simultaneously. Allen et al. (2013) find the conditional EVT-based approach produces the least amount of violations, defined as the actual loss greater than expected, in out-of-sample backtesting using FTSE100 and S&P500 index. Karmakar and Shukla (2015) further demonstrate conditional EVT to be the best-performing model in estimating Value-at-Risk of daily stock price indices in six different countries. Bali and Neftci (2003) find conditional EVT gives a more accurate measure of Value-at-Risk compared with a GARCH-skewed using U.S. short-term interest rates.

### 3. Method and Modeling

#### 3.1 Background of Value-at-Risk models

As a common standard in risk management, Value-at-Risk is often defined as the quantile of return (loss) distribution of an asset. It measures how much loss could be realized in a–worst-case scenario. From a risk manager’s perspective, it is more meaningful to hedge against the loss instead of the return, so the paper will focus on the loss distribution<sup>2</sup> of an asset. Thus the upper tail of the loss distribution is considered as the Value-at-Risk. Here we define the difference in the daily logarithm of the stock price index as the return on the asset. Formally, let  $r_t = -\ln\left(\frac{P_t}{P_{t-1}}\right)$  be the daily negative returns at time  $t$ . So the Value-at-Risk ( $\alpha$ ) is the  $(1-\alpha)$  quantile of the loss distribution at time  $t$  over a one-day horizon. With a  $(1-\alpha)$  confidence level, the probability of loss exceeding than the threshold is less than  $\alpha$ . In mathematical form, it is  $\Pr(r_t > \text{VaR}) = \alpha$ . So the Value-at-Risk calculation is based on the following equation

$$\text{VaR}_t = F^{-1}(1 - \alpha)\sigma_t$$

where  $F^{-1}$  is the quantile function, that is, the inverse of distribution function  $F$  and  $\sigma_t$  the conditional standard deviation at time  $t$ .

#### 3.2 AR (1)-GARCH (1,1) model

A natural generalization of the ARCH (Autoregressive Conditional Heteroskedasticity) model proposed by Engle (1982), which allows the conditional

---

<sup>2</sup> A loss distribution is the negative of a return distribution.

variance to change over time as a function of past errors, has proved to be a powerful tool in dealing with time-varying volatility, as volatility clustering is quite common in financial markets. The dynamics of the conditional mean of daily negative logarithm returns follows an AR (1) process,

$$r_t = \mu + \psi r_{t-1} + \varepsilon_t$$

where  $r_{t-1}$  is the lagged negative return and  $\varepsilon_t$  is the innovation term following generalized error distribution (GED). In what follows, we use the parsimonious AR (1)-GARCH (1,1) model. To be consistent with our naming conventions, we follow Bollerslev's (1986) guideline on each parameter.

### 3.2.1 Standard GARCH model

The dynamics of the conditional variance equation are characterized by

$$\sigma_t^2 = \omega + \alpha_1 \varepsilon_{t-1}^2 + \beta_1 \sigma_{t-1}^2$$

where  $\sigma_t^2$  is the conditional variance of innovation term  $\varepsilon_t$ ,  $\omega$  is the intercept and  $\alpha_1 + \beta_1 < 1$  to ensure stationarity of loss series. The standard GARCH model has proved to be useful in tackling volatility clustering, but it also highlights neither negative or positive shock should have any impact on the future volatility because the  $\sigma_t^2$  is dependent on the past squared residuals  $\varepsilon_{t-1}^2$  rather than  $\varepsilon_t$  itself. However a number of empirical studies have observed that a negative shock, like a market crash or economic crisis, triggers greater volatility relative to a positive shock such as economic growth. This brings us to the next model.

### 3.2.2 Exponential GARCH model

To address the occurrence of an asymmetric effect in financial time series, Nelson (1991) proposes the EGARCH model, where the conditional variance is expressed as

$$\log_e \sigma_t^2 = \omega + \alpha_1 \frac{|\varepsilon_{t-1}| + \gamma_1 \varepsilon_{t-1}}{\sigma_{t-1}} + \beta_1 \log_e \sigma_{t-1}^2$$

Let  $Z_t = \varepsilon_t / \sigma_t$  be the standardized residual with mean 0 and constant variance; then it can be written as

$$\log_e \sigma_t^2 = \omega + \alpha_1 (|z_{t-1}| + \gamma_1 z_{t-1}) + \beta_1 \log_e \sigma_{t-1}^2$$

where  $\gamma_1$  captures the leverage effect of a negative (positive) shock. If the past shock is positive, the impact on conditional volatility is  $(1 + \gamma_1)|\varepsilon_{t-1}|$  while a negative past shock's effect on volatility equals  $(1 - \gamma_1)|\varepsilon_{t-1}|$ . We expect the leverage effect parameter  $\gamma_1$  to be negative.

### 3.2.3 Threshold GARCH model

In the same way, the threshold GARCH (TGARCH) model, aka GJR model (Glosten et al 1993), examines the leverage effect based on the state of past innovation. Specifically, the conditional variance is determined by the threshold level 0, on whether the shock is positive or negative.

$$\sigma_t^2 = \omega + \alpha_1 \varepsilon_{t-1}^2 + \gamma_1 I_{t-1} \varepsilon_{t-1}^2 + \beta_1 \sigma_{t-1}^2$$

where

$$I_{t-1} = \begin{cases} 1 & \varepsilon_{t-1} < 0 \\ 0 & \varepsilon_{t-1} \geq 0 \end{cases}$$

If the past innovation was positive, then the conditional variance is  $\alpha_1 \varepsilon_{t-1}^2$ , while the effect of a negative innovation on volatility is  $(\alpha_1 + \gamma_1) \varepsilon_{t-1}^2$ . Hence a negative shock gives rise to greater volatility because  $\gamma_1 > 0$ .

### 3.2.4 Forecasting of GARCH model

The one-step ahead forecast of conditional variance for standard GARCH, EGARCH and TGARCH model is

$$\begin{aligned}\sigma_{t-1}^2 &= \omega + \alpha_1 \varepsilon_t^2 + \beta_1 \sigma_t^2 \\ \log_e \sigma_{t+1}^2 &= \omega + \alpha_1 (|z_t| + \gamma_1 z_t) + \beta_1 \log_e \sigma_t^2 \\ \sigma_{t+1}^2 &= \omega + \alpha_1 \varepsilon_t^2 + \gamma_1 I_t \varepsilon_t^2 + \beta_1 \sigma_t^2\end{aligned}$$

In the case of the GARCH model, the estimation of Value-at-Risk is

$$VaR_{t+1}^\alpha = \mu + \psi r_t + \sigma_{t-1} F^{-1}(1 - \alpha)$$

where  $F^{-1}$  is the quantile of the generalized error distribution.

### 3.3 Extreme Value Theory

Rather than considering the whole sample in loss distribution, EVT only focuses on the tail behavior of the loss. In other words, it deals with the asymptotic limiting distribution of extreme value (large losses). In general, there are two fundamental approaches in modeling the extreme value. One is the block maximum (BM) [see Gumbell (1958)] that considers the largest value in each consecutive block as the extreme value. But the block maxima approach decreases the efficiency if other data on extreme values are available. The second is the peak over threshold (POT) approach in which we define the extreme as the observations exceeding a particular threshold. The probability distribution of the observations above the threshold follows a generalized Pareto distribution [see Pickands (1975)]. There are two major advantages of POT approach:

First, it does not suffer from a lack of observations. Second, it offers a fully parametric approach that is easy to calculate and extrapolate. The paper follows the POT approach.

### 3.3.1 POT model

Define the excess distribution above the threshold  $u$  as the conditional probability. Given a high threshold  $u$ , the probability distribution of excess value of  $X$  over the threshold is defined by

$$F_u(y) = \Pr(X - u) \leq y | X > u = \frac{F(u + y) - F(u)}{1 - F(u)}, y \geq 0$$

Because of  $X = y + u$  for  $X > u$ ,

$$F(x) = [1 - F(u)]F_u(y) + F(u), X > u$$

The purpose of above function is to construct a tail estimator. Balkema (1974) and Pickands (1975) argue that the limiting distribution of the excess could be approximated by the generalized Pareto distribution (GPD) given a sufficiently high threshold. The functional form of GPD is

$$G_{\xi, \psi}(u) \begin{cases} 1 - (1 + \xi \frac{y}{\psi(u)})^{-\frac{1}{\xi}} & \xi \neq 0 \\ 1 - \exp\left(-\frac{y}{\psi(u)}\right) & \xi = 0 \end{cases}$$

where  $\frac{1}{\xi}$  is the shape parameter and  $\psi$  the scale parameter .

The above function embodies three type of distribution. If  $\xi > 0$ , it corresponds to the ordinary Pareto distribution. When  $\xi = 0$ , it is an exponential distribution. If  $\xi < 0$ , it is known as a Pareto type II distribution.

The choice of threshold level  $u$  is crucial in the estimation of generalized Pareto distributions (GPD) and the corresponding accuracy of Value-at-Risk. There is a trade-off between variance and bias. A high threshold could exclude most of the observations, thus increasing the bias. But a low threshold reduces the precision, thus the estimation is biased. At present, there is no universally accepted approach in appropriately choosing the threshold. Empirically, Bali (2003) applies two standard deviations from the sample mean as the threshold level.

### 3.3.2 EVT and estimation of Value-at-Risk

Here we follow McNeil and Frey's (2000) method for determining the threshold<sup>3</sup>. We define  $N$  as the number of total observations, and  $n$  as the number of exceedances (values above the threshold  $u$ ). If the threshold  $u$  is sufficiently large to balance the bias and variance, and each observation is independently and identically distributed (iid), then the exceedance follows the generalized Pareto distribution (GPD). Hence, the shape and scale parameters  $\xi, \psi$  can be estimated with a maximum likelihood method (Smith, 1987). Thus the tail estimator is

$$F(x) = 1 - \frac{n}{N} \left(1 + \xi \frac{x - u}{\psi}\right)^{-\frac{1}{\xi}}$$

If we invert<sup>4</sup> the equation above, then the unconditional Value-at-Risk quantile with a given probability  $\alpha$  is

---

<sup>3</sup> According to and Frey (2000), we choose 90th of the loss distribution as the threshold.

<sup>4</sup> For details of the formula, see Embrechts, P., C. Klüppelberg, and T. Mikosch. 1997. Modeling Extremal Events.

$$VaR^{\alpha} = \mu + \frac{\psi}{\xi} \left[ \left( \frac{1-\alpha}{\frac{n}{N}} \right)^{-\xi} - 1 \right]$$

Despite the growing use of EVT in Value-at-Risk estimation, the assumption that observations are identically and independent distributed (iid) does not sit well with the reality of financial series data. The immediate solution is to use filtered data, the conditional EVT. That is, we fit a time-varying volatility model to the data, then estimate the tails of the standardized residuals retrieved from the fitted model using EVT. The advantage of conditional EVT is that it not only captures volatility clustering within the GARCH framework, but also explores the tail behavior with an EVT scheme simultaneously. The conditional EVT is described as follows:

1) The AR (1)-GARCH (1,1) model is fitted to the negative logarithm of returns using quasi-maximum likelihood estimation. Then we get a one step ahead forecast of conditional mean  $r_{t-1}$  and conditional standard deviation  $\sigma_{t-1}$ .

2) Apply EVT to the standardized residual retrieved from Step 1 to get the estimate  $VaR^{\alpha}$ .

The Value-at-Risk derived from conditional EVT can be expressed as:

$$VaR_{t+1}^{\alpha} = \mu + \psi r_t + \sigma_{t-1} VaR_t(Z)$$

where  $VaR(Z)$  the unconditional  $VaR^{\alpha}$

If we substitute  $VaR(Z)$  with  $VaR^{\alpha}$ , then the GARCH-EVT based Value-at-Risk is

$$VaR_{t+1}^{\alpha} = \mu + \psi r_t + \sigma_{t-1} \left[ \mu + \frac{\psi}{\xi} \left[ \left( \frac{1-\alpha}{\frac{n}{N}} \right)^{-\xi} - 1 \right] \right]$$

#### 4. Data Description

The recent shift in China from investment-led growth to a more-sustainable consumer-based growth model, accompanied with heavy-handed government interference in the stock market, makes it pressing to develop an effective risk-hedging strategy for the highly unstable market. The CSI300 index, a free-float weighted index that consists of 300 A-share stocks listed in the Shanghai and Shenzhen Stock Exchanges, has been considered as an important indicator of Chinese financial market. The inclusion could help us better gauge the market risk of Chinese stock market returns. To account for the outbreak of the global financial crisis, we further look at the most advanced financial markets in the U.S., U.K., Japan and Hong Kong. Each region's stock market plays a substantial role both at home and abroad.

This paper studies the daily major stock price index including CSI300, S&P 500, NASDAQ, Hang Seng and FTSE100 between 2006 and 2015. To have a good insight on stock market, we use the adjusted price index in that it incorporates the dividend, one of the important components in the stock market. From risk manager point of view, it is more worthwhile to examine the Value-at-Risk with the dividend accounted for. We compute the daily negative logarithm returns as  $r_t = -\ln(p_t/p_{t-1})$ , where  $p_t$  price index at time  $t$ . The loss is considered as the negative logarithm return, thus the upper tail of the loss distribution is the Value-at-Risk. The in-sample period for the purpose of estimation is from 01/01/2006 to 04/03/2008 and out-of-sample period reserved for backtesting is between 04/04/2008 and 11/30/2015. Altogether we have 2204 observations of adjusted price index.

## 5. Empirical Result

Figure 1 shows both the daily stock index (left panel) and negative daily logarithm returns (right panel) for each market from the beginning of 2006 to the late 2015. The left panel suggests financial market in each country, for the most part, tends to move in the same direction simultaneously except China. As depicted from the figure, the 2008 global financial crisis caused the biggest drop, with stock market reaching historically the lowest level. The right panel points out the daily return of Chinese stock market moves up and down more rapidly than that of developed countries, underscoring the high volatility of developing country's financial market.

Table 1 reports the summary statistics of daily negative returns of stock market index. The negative mean loss indicates an overall upward movement of the stock index. Besides, we find that FTSE100 and Hang Seng experiences more frequent negative shock because of the negative skewness, while CSI300, NASDAQ and S&P500 endures more positive shock for the most of the time. The high excess kurtosis across all financial markets corroborates the fat tails in return (loss) distribution. Put differently, the extreme events particularly the significant loss, are much more likely to happen than we anticipate. To validate the normality of loss distribution, we perform the Jarque–Bera test. A greater test statistic gives a strong evidence of non-normality, which therefore indicates the estimation of Value-at-Risk with normal distribution is inappropriate and likely to underestimate the real risk.

Table 2 presents the estimated parameters in mean and variance equation of three AR (1)-GARCH (1,1) models in negative daily logarithm returns. In the mean equation,  $\mu$  and  $\psi$  is the constant term and AR (1) coefficient respectively. All three models consistently show long-term average (the constant) close to zero and the loss negatively correlated with lagged terms. The variance equation demonstrates the high persistence ( $\omega$ ) of past squared residuals on current volatility, which manifests the volatility clustering in financial markets. In EGARCH and TGARCH panel, the  $\gamma$  parameter measures the leverage effect. In particular, the positive  $\gamma$  in EGARCH model reveals the conditional volatility is more sensitive to positive shock. Likewise, the negative  $\gamma$  in TGARCH paints a similar picture. In other words, both models support the positive shock exerts more influence on volatility, partly because of continually upward movement in stock index after global financial crisis.

Figure 2 depicts the conditional volatility derived from three GARCH (1,1) models, respectively. As a whole, there is no significant discernable difference among all three models, all of which portray the similar picture of the volatility over time. The peak of the volatility resembles the global financial crisis in 2008. Except for CSI300 (China), the volatility declines gradually in post financial crisis. Interestingly enough for Chinese stock market, its trajectory is bumpy and far from smooth. The volatility of CSI300 rises and falls more substantially during the financial crisis, underscoring the greater uncertainty and instability in Chinese stock market. Such empirical finding provides further evidence of higher risk in investing Chinese market.

To examine if the excess distribution over a given threshold follows Generalized Pareto Distribution (GPD), Figure 3<sup>5</sup> shows the empirical excess distribution along with the cumulative distribution simulated and Q-Q plot of standardized residuals. Across the board, the graph manifests the empirical excess distribution follows closely with the simulated GPD, suggesting the trajectory of exceedance (excess over threshold) can be effectively captured by the GPD. The Q-Q plot of standardized residual against the theoretical normal distribution is an effective tool in investigating the fat (thin) tails distribution in financial risk management. As depicted in the graph, the Q-Q plot indicates standardized residual from fitted GPD follows the normal distribution, confirming the GPD a good fit for measuring the empirical distribution of exceedance. Table 3 displays the estimate of static Value-at-Risk under a series of confidence level with different GARCH models. In all cases, the GARCH based estimate is greater than the normal one. Within each GARCH model, we find standard GARCH model, as a whole, yields a slightly higher estimate relative to EGARCH and TGARCH. On the other hand, there is not a substantial difference of the estimate between EGARCH and TGARCH. Also, a smaller estimate produced from normal distribution confirms its tendency to underestimate future downside risk.

## 6 Dynamic Backtesting

### 6.1 Value-at-Risk model evaluation

---

<sup>5</sup> For the sake of brevity, EGARCH and TGARCH diagnostic plot is not shown.

So far we have presented AR (1)-GARCH (1,1) based approach with three variations in calculating Value-at-Risk. In risk modeling, the ability to accurately predict future loss rather than overshooting or undershooting is the key in financial risk management. To evaluate the relative performance between GARCH and conditional EVT approach, we employ dynamic backtesting for the out-of-sample negative logarithm returns. Here we apply two types of backtesting criteria, unconditional coverage test (Kupiec 1995) and conditional coverage test (Christoffersen 1998).

## 6. 2 Unconditional and Conditional Coverage Test

Let  $I_{t+1}$  be a sequence of Value-at-Risk violations that can be described as:

$$I_{t+1} = \begin{cases} 1 & y_{t+1} < VaR_{t+1}|I_t \\ 0 & y_{t+1} \geq VaR_{t+1}|I_t \end{cases}$$

then  $k = \sum_{i=1}^T I_i$  represents the number of days actual loss greater than the estimated Value-at-Risk over a T period. As seen from the equation above, the number of failure (loss greater than Value-at-Risk) follows a binomial distribution with the following likelihood ratio statistic:

$$LR_{uc} = 2\ln \left[ \left(1 - \frac{k}{T}\right)^{T-k} \left(\frac{k}{T}\right)^k \right] - 2\ln \left[ (1-p)^{T-n} p^n \right] \sim \chi^2(1)$$

Under the null hypothesis, the fraction of violation should be equal to the expected failure rate ( $\frac{k}{T} = \alpha$ ,  $1 - \alpha$  is the confidence level for Value-at-Risk). Since this is a two-sided test, the model could be rejected because of either excessive or limited violations. The correct model ( $H_0$ ) is the one that produces reasonably right number of violations. The unconditional coverage test is straightforward to implement because it does not consider the dependence between the violations, that is, the timing of occurrence.

By standard, a good model requires not only an accurate prediction of the amount of violations over a length of time, but more importantly, the occurrence of violations should spread evenly. In other words, the violation is independent of each other, no violation clustering. Often the occurrence of violation clustering fails to detect the change in the market volatility. To that regard, we also use a more comprehensive procedure, proposed by Christoffersen (1998), called conditional coverage test. It jointly tests if the total number of violation equal to the expected one and the violation of Value-at-Risk independent over time. The test statistic of conditional coverage test is:

$$LR_{CCV} = -2\ln [(1-p)^{N-n} p^n] + 2\ln [(1-\pi_{01})^{n_{00}} \pi_{01}^{n_{01}} (1-\pi_{11})^{n_{10}} \pi_{11}^{n_{11}}] \sim \chi^2(2)$$

$$\pi_1 = \frac{n_{11}}{n_{11}+n_{10}} \quad \pi_0 = \frac{n_{01}}{n_{00}+n_{01}} \quad \pi_1 = \frac{n_{11}}{n_{11}+n_{10}}$$

where  $n_{ij}$  represents the number of observations with value  $i$  followed by  $j$  for  $i,j=0,1$  and  $\pi_{ij} = \frac{n_{ij}}{\sum_j n_{ij}}$  is the corresponding probability. If there is a violation, then  $i,j=1$ . Otherwise,  $i,j=0$ .

Under the null hypothesis, the occurrence of violation should be independent over time and the expected percentage of violation equals to  $\alpha$ . Given the model accurate, then violation today should not rely on the violation yesterday, which means  $\pi_0$  and  $\pi_1$  equals to each other.

### 6.3 Out-of-sample dynamic backtesting

For all stock market, we employ a rolling window of 1000 daily logarithm returns (4 years) to forecast one day ahead  $VarR(\alpha)$ . In financial industry, the most commonly used procedure is to set  $\alpha$  at 5% particularly for internal risk control. Thus we conduct the dynamic backtesting at 5% level for all models, GARCH and conditional EVT. The advantage of rolling window procedure is twofold: to assess the stability of the model over time and the accuracy of the forecasting. Stability amounts to examining whether the coefficients time-invariant. In dealing with long period, it is not feasible to evaluate the fitted model everyday and to pick a new constant value of  $k$  (the number of days of exceedance over the threshold  $u$ ) for tail estimation. Besides we set the 90 percentile of the loss distribution as the threshold ( $u$ ), so  $k$  equals to 10% of daily observation.

Conditional EVT means, on each day, we fit AR (1)-GARCH (1,1) model with three GARCH variations to each stock market and determine a new GPD tail estimate, computed from realized standardized residual. The violation ratio, the ratio between actual number of violations and total number of one-period forecast, is used to assess the performance of each model. A violation is realized if  $y_{t-1} \geq VarR_{t+1}$  at time  $t+1$ . Define

$\lambda = \frac{k}{\alpha}$ , then  $\lambda > 1$  refers to an underestimation of the realized loss since the actual violation

is greater than the expected proportion. And  $\lambda < 1$  indicates an overestimation of future loss, consequently, setting aside unnecessary excessive amount of capital. In theory, a good model expects a violation ratio equal to  $\alpha$ , thus  $\lambda = 1$ . With rolling window of 1000

observations, out-of-sample violation plot using GARCH model is presented in Figure 4,5,6. A red dot signals actual violation.

Table 4 presents the violation test result of all competing models. The ranking shows EGARCH-based model produces the best performance for all stock markets, except for Hang Seng, with 80% chance successfully passing the violation test. On the other hand, the TGARCH and standard GARCH model perform roughly equal well in predicting market risk, though both are less superior to EGARCH. Besides they both yield a smaller actual violation ratio relative to  $\alpha$ , meaning more likely to overestimate the actual loss, therefore increasing the cost in doing capital allocation. For instance, the expected number of violations, at 5% significance level, for each market is 85.2<sup>6</sup>. And the standard GARCH model realizes an actual violation of 60 and 54 in NASDAQ and S&P500 market respectively, far away from the expected failure. The consequence of overshooting the risk is an uptick in unnecessary capital allocation, inflating the cost of doing business.

Table 5 is the unconditional coverage test of GARCH and conditional EVT model. Under the null hypothesis of correct exceedance, a good model should be the one that does not reject  $H_0$ . Hence the test with a higher p-value is an indication of appropriate model. For unconditional GARCH group, the EGARCH delivers a much greater p-value compared with the alternatives. Similarly, EGARCH-EVT yields a higher p-value in

---

<sup>6</sup> The expected failure is the product of a window size reserved for rolling estimation and a significant level; here it is  $1704*0.05=85.2$

conditional EVT group. Both of these findings demonstrate the supremacy of EGARCH-based model.

Table 6 is the conditional coverage test of two competing models. Likewise, a good model should accept the null hypothesis  $H_0$ , that is, correctly identifying the number of violations and being independent. The test result also indicates the EGARCH-based model stands out as the best one, achieving the highest success rate in violation test, as evidenced by a greater p-value.

In addition, the test does not provide strong evidence there is a substantial difference between GARCH and conditional EVT in modeling Value-at-Risk. In terms of an appropriate model of each market, the heterogeneity arises. Depending on the stock market, the superiority differs. The principle is that a higher p value is an indication of a better performance of backtesting. According to that, the GARCH model emerges to be a suitable model for CSI300, FTSE100 and NASDAQ, whereas conditional EVT is more appropriate for S&P500. Interestingly enough, neither of them is appropriate in modeling Hang Seng stock market.

## 7. Conclusion

Developing a statistically sound approach in estimating Value-at-Risk is critical in financial risk management. The inappropriateness of the ad hoc normal distribution and Student-t assumption in estimating Value-at-Risk has increased the popularity of the standard GARCH and extreme value theory model under a normal distribution of the

return. And the studies find the conditional EVT, a mix of standard GARCH and EVT model, is the best performing tool in estimating Value-at-Risk. However standard GARCH model does not penalize the positive and negative shocks responding differently to the volatility. Nor the normal and Student-t distribution reflects the fundamental attributes of the financial assets. For that reason, I further investigate the existing findings by using a GARCH family model under a more comprehensive and less restricted distribution of the return, the generalized error distribution (GED). The backtesting result is different from other studies in a number of ways.

First, it does not find strong evidence pointing a complete superiority of extreme value theory (EVT). Instead, what is more superior is the exponential GARCH-based model, as supported by Angelidis (2004) claim that a combination of exponential GARCH and Student-t distribution gives the best estimate. Second, the dominance of conditional EVT is reduced when the return of distribution is controlled by the generalized error distribution. In other words, the conditional EVT and GARCH model performs equally well under the GED distribution. To conclude, the exponential GARCH-based model with GED is considered the best in modeling Value-at-Risk.

## Reference

- Abad, P., S. Benito, and C. López. 2014. A comprehensive review of Value-at-Risk methodologies. *The Spanish Review of Financial Economics* 12: 15--32.
- Allen, D. E., A. K. Singh, and R. J. Powell. 2013. EVT and tail-risk modeling: Evidence from market indices and volatility series. *The North American Journal of Economics and Finance* 26: 355--369.
- Alexios Ghalanos (2015). rugarch: Univariate GARCH models. R package version 1.3-6.
- Angelidis, T., A. Benos, and S. Degiannakis. 2004. The use of GARCH models in Value-at-Risk estimation. *Statistical Methodology* 1:105–128.
- Bali, T. G., and S. N. Neftci. 2003. Disturbing extremal behavior of spot rate dynamics. *Journal of Empirical Finance* 10: 455--477.
- Bali T. G. 2007. A Generalized Extreme Value Approach to Financial Risk Measurement. *J Money Credit Banking* 39: 1613--1649.
- Balkema, A. A., and L. de Haan. 1974. Residual Life Time at Great Age. *Ann. Probab.* 2:792–804.
- Bekiros, S. D., and D. A. Georgoutsos. 2005. Estimation of Value-at-Risk by extreme value and conventional methods: a comparative evaluation of their predictive performance. *Journal of International Financial Markets, Institutions and Money* 15: 209--28.
- Bollerslev, T. 1986. Generalized autoregressive conditional heteroskedasticity. *Journal of Econometrics* 31:307–327.
- Christoffersen, P. F. 1998. Evaluating Interval Forecasts. *International Economic Review* 39:841.
- Dahlen, K. E., R. Huisman, and S. Westgaard. 2015. Risk Modeling of Energy Futures: A Comparison of RiskMetrics, Historical Simulation, Filtered Historical Simulation, and Quantile Regression. *Stochastic Models, Statistics and Their Applications*: 283--291.
- Danielsson, J., & de Vries, C. (2000). Value-at-risk and extreme returns. *Annales d'Economie et de Statistique*, 60, 239-270
- Diethelm Wuertz, many others and see the SOURCE file (2013). fExtremes: Rmetrics - Extreme Financial Market nta. R package version 3010.81.
- Embrechts, P., C. Klüppelberg, and T. Mikosch. 1997. Modeling Extremal Events.
- Embrechts, P., S. I. Resnick, and G. Samorodnitsky. 1999. Extreme Value Theory as a Risk Management Tool. *North American Actuarial Journal* 3:30–41.
- Engle, R. F. 1982. Autoregressive Conditional Heteroscedasticity with Estimates of the variance of United Kingdom Inflation. *Econometrica* 50:987.

- Fernandez, V. 2005. Risk management under extreme events. *International Review of Financial Analysis* 14:113--148.
- Gençay, R., F. Selçuk, and A. Ulugülyağci. 2003. High volatility, thick tails and extreme value theory in value-at-risk estimation. *Insurance: Mathematics and Economics* 33:337--356.
- Gaye Gencer, H., and S. Demiralay. 2015. Volatility Modeling and Value-at-Risk (VaR) Forecasting of Emerging Stock Markets in the Presence of Long Memory, Asymmetry and Skewed Heavy Tails. *Emerging Markets Finance and Trade*:1--19.
- Ghorbel, A., and A. Trabelsi. 2008. Predictive performance of conditional Extreme Value Theory in Value-at-Risk estimation. *International Journal of Monetary Economics and Finance* 1:121.
- Gilli, M., and E.këllezi 2006. An Application of Extreme Value Theory for Measuring Financial Risk. *Computational Economics* 27:207--228.
- Giot, P., and S. Laurent. 2004. Modeling daily Value-at-Risk using realized volatility and ARCH type models. *Journal of Empirical Finance* 11:379--398.
- Glantz, M., and R. Kissell. 2014. Extreme Value Theory and Application to Market Shocks for Stress Testing and Extreme Value-at-Risk. *Multi-asset Risk Modeling*:437--476.
- Glosten, L. R., R. Jagannathan, and D. E. Runkle 1993. On the Relation between the Expected Value and the Volatility of the Nominal Excess Return on Stocks. *The Journal of Finance* 48:1779--1801.
- Karmakar, M., and G. K. Shukla. 2015. Managing extreme risk in some major stock markets: An extreme value approach. *International Review of Economics & Finance* 35:1--25.
- Kittiakarasakun, J., and Y. Tse. 2011. Modeling the fat tails in Asian stock markets. *International Review of Economics & Finance* 20:430--440.
- Kuester, K. 2005. Value-at-Risk Prediction: A Comparison of Alternative Strategies. *Journal of Financial Econometrics* 4:53--89.
- Kupiec, P. H. 1995. Techniques for Verifying the Accuracy of Risk Measurement Models. *Derivatives* 3:73--84.
- Lieberman, G. J., and E. J. Gumbel. 1960. Statistics of Extremes. *Journal of the American Statistical Association* 55:383
- Lin, C., and S. Shen. 2006. Can the Student-t distribution provide accurate Value-at-Risk? *The Journal of Risk Finance* 7:292--300.
- Longin, F. M. 2000. From Value-at-Risk to stress testing: The extreme value approach. *Journal of Banking & Finance* 24:1097--1130.
- Marimoutou, V., B. Raggad, and A. Trabelsi. 2009. Extreme Value Theory and Value-at-Risk: Application to oil market. *Energy Economics* 31:519--530.

- McNeil, A. J., and R. Frey. 2000. Estimation of tail-related risk measures for heteroscedastic financial time series: an extreme value approach. *Journal of Empirical Finance* 7:271--300.
- Nelson, D. B. 1991. Conditional Heteroskedasticity in Asset Returns: A New Approach. *Econometrica* 59:347.
- Pickands, J.III, 1975. Statistical Inference Using Extreme Order Statistics. *The Annals of Statistics* 3:119--131.
- Poon, S.-H., and C. W. J. Granger. 2002. Forecasting Volatility in Financial Markets: A Review (revised edition). SSRN Journal.
- Smith, R. L. 2002. Measuring Risk with Extreme Value Theory. *Value-at-Risk and Beyond*:224--246.
- Theodossiou, P. 2015. Skewed Generalized Error Distribution of Financial Assets and Option Pricing. *MFJ* 19:223--266.

Appendix A, Tables

**Table 1** Summary Statistics of Daily Loss from Adjusted Price Index <sup>7</sup>

	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
Min.	-0.089	-0.094	-0.134	-0.112	-0.11
1st Qu.	-0.01	-0.006	-0.008	-0.007	-0.006
Median	-0.001	-0.0001	-0.0003	-0.001	-0.001
Mean	-0.001	0.0001	-0.0002	-0.0003	-0.0002
3rd Qu.	0.008	0.006	0.007	0.006	0.005
Max.	0.097	0.093	0.136	0.094	0.095
SD	0.019	0.012	0.016	0.014	0.013
Kurtosis	3.116	7.772	9.3	6.897	10.269
Skewness	0.446	-0.068	-0.182	0.074	0.149
JarqueBera	968.038	5,562.98	7,973.71	4,381.76	9,715.49
p.value	0.000	0.000	0.000	0.000	0.000
Number of Obs	2,204	2,204	2,204	2,204	2,204

<sup>7</sup> The dataset covers from 01/01/2006 to 12/31/2015, here kurtosis represents the excess kurtosis (kurtosis less than 3) and the kurtosis of normal distribution is 3. A smaller p-value from Jarque-Bera test gives a strong evidence that the loss distribution is non-normal.

**Table 2** Estimated Parameters From GARCH Family Type Fit<sup>8</sup>

Panel 1 Standard GARCH					
	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
mu	-0.000695**	-0.000315	-0.00044*	-0.000975***	-0.000816***
ar1	0.009307	-0.022781	-0.017432	-0.025061	-0.05849**
omega	0.000004	0.000002	0.000002	0.000003	0.000002
alpha1	0.06159***	0.117667***	0.086249***	0.10241***	0.12401***
beta1	0.929773***	0.86922***	0.904157***	0.87887***	0.862782***
shape	1.162068***	1.42077***	1.409991***	1.361588***	1.240306***
Panel 2 Exponential GARCH					
	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
mu	-0.000666	0.000034	-0.00032	-0.000633***	-0.000572***
ar1	0.00763	-0.01708	-0.01615	-0.019989	-0.055597***
omega	-0.097841***	-0.231233***	-0.134049***	-0.261925***	-0.241847***
alpha1	0.012998	0.139251***	0.062518***	0.154343***	0.170276***
beta1	0.987991***	0.97513***	0.984668***	0.971539***	0.97481***
gamma1	0.138599***	0.162635***	0.17054***	0.137328***	0.164783***
shape	1.166602***	1.491962***	1.424823***	1.412884***	1.305468***
Panel 3 Threshold GARCH					
	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
mu	-0.000675**	-0.000016	-0.000245	-0.000621**	-0.000558***
ar1	0.01005	-0.01459	-0.011659	-0.014391***	-0.048548*
omega	0.000004	0.000003***	0.000003	0.000004***	0.000003***
alpha1	0.069617***	0.204551***	0.136293***	0.193491***	0.216122***
beta1	0.926824***	0.875866***	0.896024***	0.87772***	0.872078***
gamma1	-0.013416	-0.204437***	-0.092382***	-0.205688***	-0.226654***
shape	1.16157***	1.484379***	1.439613***	1.427455***	1.309573***

Note: statistical significance level \*\*\* for  $p < 0.001$ , \*\* for  $p < 0.01$ , \* for  $p < 0.05$

<sup>8</sup> For each panel, the model is fitted with AR (1)-GARCH(1,1) .

**Table 3** Static Value-at-Risk from GARCH Family Type

<b>Prob</b>	<b>Normal</b>	<b>CSI300</b>	<b>FTSE100</b>	<b>HANG.SENG</b>	<b>NASDAQ</b>	<b>SP500</b>
Panel A Static Value-at-Risk (VaR) from Standard GARCH (sGARCH)						
0.95	1.645	1.7153	1.8102	1.7120	1.8373	1.8536
0.99	2.326	2.8348	2.7503	2.6116	2.8686	2.9703
0.995	2.576	3.2889	3.0757	2.9816	3.2455	3.3961
Panel B Static Value-at-Risk (VaR) from Exponential GARCH (EGARCH)						
0.95	1.645	1.7181	1.7431	1.6999	1.8190	1.8351
0.99	2.326	2.8238	2.7570	2.5850	2.8295	2.9600
0.995	2.576	3.2697	3.1531	2.9383	3.2122	3.3991
Panel C Static Value-at-Risk (VaR) from Threshold GARCH (TGARCH)						
0.95	1.645	1.7096	1.7577	1.7082	1.8229	1.8292
0.99	2.326	2.8278	2.7537	2.5736	2.8144	2.9336
0.995	2.576	3.2926	3.1195	2.9059	3.1810	3.3625

**Table 4** Out-of-sample 1 day ahead Value-at-Risk Violation Test

	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
<b>Out-of-sample Size</b>	1704	1704	1704	1704	1704
<b>alpha=5%</b>					
<b>Expected Violations</b>	85.2	85.2	85.2	85.2	85.2
<b>Unconditional GARCH</b>					
sGARCH	74(6)	69(2)	59(2)	60(6)	54(5)
EGARCH	84(1)	86(1)	55(3)	83(1)	76(2)
TGARCH	75(5)	63(4)	54(4)	71(3)	108(4)
<b>Conditional EVT</b>					
sGARCH-EVT	76(4)	61(5)	63(1)	66(4)	68(3)
EGARCH-EVT	83(2)	65(3)	50(5)	76(2)	80(1)
TGARCH-EVT	80(3)	51(6)	59(2)	65(5)	44(6)

Note: the numbers in parentheses represent the ranking among the competing models at 95% Value-at-Risk level;

However for Hang Seng index, the ranking does not necessarily indicate the relative performance because none of the model passes the violation test

**Table 5** Statistical Test of 1 day ahead Unconditional Coverage (UC) Test

	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
<b>alpha=5%</b>					
<b>UC.critical value</b>	3.841	3.841	3.841	3.841	3.841
<b>Unconditional GARCH</b>					
sGARCH	1.619 (0.203)	3.458 (0.063)	9.461** (0.002)	8.711** (0.003)	13.748** (0.000)
EGARCH	0.018 (0.894)	0.008 (0.929)	12.816** (0.000)	0.060 (0.806)	1.083 (0.298)
TGARCH	1.337 (0.248)	6.668** (0.010)	13.748** (0.000)	2.635 (0.105)	5.943** (0.015)
<b>Conditional EVT</b>					
sGARCH-EVT	1.083 (0.298)	7.996** (0.005)	6.668** (0.010)	4.921** (0.027)	3.915** (0.048)
EGARCH-EVT	0.060 (0.806)	5.471** (0.019)	17.862** (0.000)	1.083 (0.298)	0.341 (0.559)
TGARCH-EVT	0.341 (0.559)	16.774** (0.000)	9.461** (0.002)	5.472** (0.019)	25.288** (0.000)

Note: The table shows the statistics and p-value of unconditional coverage test of each competing model; p-value is represented in parentheses, \*\* denotes significant at 5% level

Unconditional coverage (UC) is chi-squared distributed with degrees of freedom of 1

Null hypothesis (Ho): correct exceedance, that is, the expected failure rate equals to the level of alpha

Model that does not reject the Ho is considered as the most appropriate, evidenced by a higher p-value

**Table 6** Statistical Test of 1 day ahead Conditional Coverage (CC) Test

	CSI300	FTSE100	HANG.SENG	NASDAQ	SP500
<b>alpha=5%</b>					
<b>CC. critical value</b>	5.991	5.991	5.991	5.991	5.991
<b>Unconditional GARCH</b>					
Standard GARCH	1.635 (0.442)	NaN	10.158** (0.006)	9.486** (0.009)	13.748** (0.000)
Exponential GARCH	0.203 (0.904)	0.642 (0.726)	12.845** (0.002)	1.441 (0.487)	1.135 (0.567)
Threshold GARCH	1.489 (0.475)	7.696** (0.021)	13.797** (0.001)	3.014 (0.222)	7.503** (0.023)
<b>Conditional EVT</b>					
Standard GARCH-EVT	1.197 (0.549)	NaN	7.696** (0.021)	6.236** (0.044)	5.439 (0.066)
Exponential GARCH-EVT	0.061 (0.970)	5.582 (0.061)	18.047** (0.000)	1.808 (0.405)	0.358 (0.836)
Threshold GARCH-EVT	0.754 (0.686)	NaN	9.462** (0.009)	6.687** (0.035)	25.306** (0.000)

Note: The table shows the statistics and p-value of conditional coverage of each competing model; p-value is represented in parentheses, \*\* denotes significant at 5% level

Conditional coverage(CC) is chi-squared distributed with degrees of freedom of 2


Null hypothesis (Ho): independence of failures, that is, the occurrence of failure spreads evenly over time

Model that does not reject the Ho is considered as the most appropriate, evidenced by a higher p-value

NaN is produced because of a lack of sufficient violations


Appendix B, Figures

**Figure 1** The Adjusted Stock Market Index and Daily Negative Returns<sup>9</sup>



<sup>9</sup> The time series plot is from 01/01/2006 to 12/31/2015, the entire time period.


**Figure 2** Derived Daily Conditional Volatility from GARCH family Type<sup>10</sup>




<sup>10</sup> The daily time-varying volatility spans the entire time period, from 2006 to 2015.

**Figure 3** Diagnostic Checking of Fitted Excess Distribution


Fitted Excess Distribution with Standard GARCH



**Figure 4** Out-of-sample Dynamic Backtesting Plot from Standard GARCH <sup>11</sup>



**Figure 5** Out-of-sample Dynamic Backtesting Plot from Exponential GARCH



<sup>11</sup> For each figure, the in-sample period is from 01/01/2006 to 04/03/2008, and the out-of-sample period is from 04/04/2008 to 12/31/2015; a red dot represents an actual failure.

**Figure 6** Out-of-sample Dynamic Backtesting Plot from Threshold GARCH

